

## **Taxonomy**

Domain: Eukaryota - Whittaker & Margulis, 1978  
Kingdom: Animalia - Linnaeus, 1758 - animals  
Subkingdom: Bilateria - (Hatschek, 1888) Cavalier-Smith, 1983  
Branch: Deuterostomia - Grobden, 1908  
Infrakingdom: Chordonia - (Haeckel, 1874) Cavalier-Smith, 1998  
Phylum: Chordata - Bateson, 1885 - Chordates  
Subphylum: Vertebrata - Cuvier, 1812 - Vertebrates  
Infraphylum: Gnathostomata - Auct. - Jawed Vertebrates  
Superclass: Tetrapoda - Goodrich, 1930  
Class: Sauropsida  
Subclass: Diapsida  
Infraclass: Lepidosauromorpha  
Superorder: Lepidosauria - ?  
Order: Squamata  
Suborder: Lacertilia  
Infraorder: Gekkota  
Family: Gekkonidae  
Subfamily: Gekkoninae  
Genus: *Phelsuma* - Stejneger, 1893  
Specific name: *laticauda* - BOETTGER 1880  
Scientific name: *Phelsuma laticauda* - BOETTGER 1880

## **Systematik**

<i>Klasse:</i>	Reptilien (Reptilia)
<i>Ordnung:</i>	Schuppenkriechtiere (Squamata)
<i>Unterordnung:</i>	Echsen (Lacertilia)
<i>Überfamilie:</i>	Geckoartige (Gekkota)
<i>Familie:</i>	Geckos (Gekkonidae)
<i>Gattung:</i>	Taggeckos ( <i>Phelsuma</i> )
<i>Arten:</i>	Goldstaub-Taggecko ( <i>Phelsuma laticauda</i> )
<i>Unterarten:</i>	Goldstaub-Taggecko ( <i>Phelsuma laticauda angularis</i> )

Art (wissenschaftl. Name)	Unterart (wissenschaftl. Name)	Unterart (deutscher Name)	Terra typica	Erstbeschreiber
Phelsuma abbotti	Phelsuma abbotti abbotti		Seychelles, N Madagascar, Aldabra, Nosy Bé, Nosy Mamoko, Nosy Mitsio, Nosy Sakatia, Nosy Tanikely, Assumption-Islands, Amirante Islands. Type locality: Aldabra.	Stejneger, 1893
	Phelsuma abbotti chekei		Diego Suarez / N Madagascar.	Börner & Minuth, 1984
	<i>Phelsuma abbotti pulchra</i> **)		Seychelles (Mahé, Cousine). Type locality: Mahé.	RENDAHL, 1939
	Phelsuma abbotti sumptio	Assumption-Taggecko	Insel Assumption / Aldabra-Atoll / Seychellen.	Cheke, 1982
Phelsuma andamanensis		Andamanen-Taggecko	India: Port Blair, Andaman Islands, Nicobar Islands; Golf von Bengalen. Type locality: Andaman Islands	Blyth, 1860
Phelsuma antanosy		Antanosy-Taggecko	SE Madagascar. Type locality: Petriky, 25°05' S, 46°49' E, 50 m elevation, Tôlanaro (Fort Dauphin) Fivondronana, Toliara (Tulear) Province, Madagascar.	Raxworthy & Nussbaum, 1993
Phelsuma astriata	Phelsuma astriata astriata	Kleiner Seychellen-Taggecko	Seychelles (Mahé, Praslin, Silhouette, Thérèse, Astove, Frégate) Type locality: Mahé, Seychelles.	Tornier, 1901
	<i>Phelsuma astriata astovei</i> **)		Type locality: Astove	Mertens, 1962
	Phelsuma astriata semicarinata		Northeastern islands of the Inner Seychelles, Denis, Daros, St. Joseph.	Cheke, 1982
Phelsuma barbouri		Barbour's Taggecko	E Madagascar (Tsiafajavona- Mountains, Ankaratra Mountains). Type locality: Forest between Tamatave and Tananarive, E Madagascar.	Loveridge, 1942
Phelsuma berghofi		Berghofs Taggecko	SE Madagascar. Type locality: "Somisiky, Süd-Ost- Madagaskar (23°23'S, 47°32'E), 56 m elevation.	Krüger, 1996

Phelsuma borbonica	Phelsuma borbonica borbonica		In the north Reunion. Type locality: Le Brûlé, Reunion, Mascarene Islands, 20°54' S, 55° 26' E.	Mertens, 1966
	Phelsuma borbonica agalegae	Agalega-Taggecko	Agalega Island. Type locality: Agalega Island, 10°25' S, 56° 40' E.	Cheke, 1975
	Phelsuma borbonica (agalegae) mater		In the east of Reunion. Type locality: Basse Vallée, Réunion.	Meier, 1995
Phelsuma breviceps		Kurzkopf-Taggecko	Südspitze von Madagaskar, (Landstreifen zwischen Lac Tsimanampetsotsa und Indischem Ozean)	Boettger, 1894
Phelsuma cepediana		Blauschwanz-Taggecko	Mascarene Islands: Mauritius; introduced to Rodrigues (fide Glaw, pers. comm.); Madagascar (introduced at Ivoloina). Type locality: "Insula Franciae" = Mauritius.	Merrem, 1820
Phelsuma comorensis		Komoren-Taggecko	Comoro Islands (Grande Comore). Type locality: La Grille, Grande Comore, elevation 1000 m.	Boettger, 1913
Phelsuma dubia		Olivgrüner Taggecko	Madagascar, Tanzania, Kenya, Comores (Mayotte, Grande Comore, Anjouan, Moheli), Nosy Bé, (Majunga), Zanzibar, Mozambique Island. Type locality: Majunga, Madagascar.	Boettger, 1881
<i>Phelsuma edwardnewtoni</i> *) ( <i>Phelsuma newtoni</i> )		Rodrigues-Taggecko	Mascarene Islands: Mauritius: Rodrigues Island. Type locality: Forrests of Rodriguez Island, Mascarenes, 19°55' S, 61° 30' E.	Boulenger, 1884
Phelsuma flavigularis		Gelbkehl-Taggecko	E Madagascar (Perinet). Type locality: Perinet, 100 km east of Tananarive, elevation 950 m.	Mertens, 1962

<i>Phelsuma gigas</i> *) ( <i>Phelsuma newtoni</i> )		Rodrigues Riesen-Taggecko	Mascarene Islands: Mauritius (Rodrigues). Type locality: Frégate Island near Rodriguez, Mascarene Islands, 19° 55' S, 61° 30' E.	Liénard , 1842
<i>Phelsuma gouldi</i>			SC Madagascar (Fianarantsoa). Type locality: Anja Reserve, 13 km south of Ambalavao 21°51'2.64" S, 46°50'33.80" E, 949 m elevation, Haute Matsiatra Region, Fianarantsoa province, southern central Madagascar.	CROTTINI, GEHRING, GLAW, HARRIS, LIMA & VENCES, 2011
<i>Phelsuma guentheri</i>		Großer Round-Island-Taggecko	Mascarene Islands: Mauritius (Round Island). Type locality: Round Island.	Boulenger, 1885
<i>Phelsuma guimbeaui</i>		Mauritius-Taggecko	Mascarene Islands: Mauritius (Pailles, La Poresse, Les Mares) USA (introduced to Hawaii fide McKeown). Type locality: Pailles, 5 km southwest of Port Louis, Mauritius.	Mertens, 1963
<i>Phelsuma guttata</i>		Gefleckter Taggecko	NE, E, S Madagascar (Fandrazana, Nosy Boraha), Ste. Marie, Mamoko. Type locality: Fandrazana, NE Madagascar.	Kaudern, 1922
<i>Phelsuma hielscheri</i>			W Madagascar. Type locality: circa 15 km southwest of Morondava.	Rösler, Obst & Seipp, 2001
<i>Phelsuma inexpectata</i>			Mascarene Islands: Mauritius (S Reunion). Type locality: Manapany les Baines, La Réunion, Mascarenes, 21° 23' E, 55° 36' E.	Mertens, 1966
<i>Phelsuma kely</i>			Manambato / E Madagascar E Madagascar. Type locality: Lac Ampitabe (18°36' S, 49°15' E) near Andranokoditra, ca. 65 km south of Toamasina (= Tamatave), East Madagascar.	Schönecker, Bach & Glaw, 2004

Phelsuma klemmeri		Blauer Bambus-Taggecko	Antsatsaka, Sambarino-Gebiet (NW-Madagaskar). Type locality: Küste NW-Madagaskars.	Seipp, 1991
Phelsuma laticauda	Phelsuma laticauda laticauda	Goldstaub-Taggecko	Madagascar, Comores (Mayotte), Nosy Bé, Seychelles, Nosy Mitsio, Type locality: Nosy Bé.	Boettger, 1880
	Phelsuma laticauda angularis		Antsohihy, zwischen Majunga und Nossi Be / NW-Madagaskar NW Madagascar (Antsohihi, Befotaka, Maromandia). Type locality: Antsohihi, east of the Baie de Narinda, NW Madagascar.	Mertens, 1964
Phelsuma lineata	Phelsuma lineata lineata	Streifen-Taggecko	Tamatave / O-Madagaskar.	Gray, 1842
	Phelsuma lineata bifasciata		SC Madagascar. Type locality: Ankarimbela (= Anakrimbola), SC Madagascar.	
	Phelsuma lineata bombetokensis	Bombetoka-Streifentaggecko	NW Madagascar, east coast of Bombetoke Baie; Type locality: "Marovoya, unweit der Bombetoke-Baie", Marovoay, NW Madagascar.	Mertens, 1964
	Phelsuma lineata chloroscelis		E and C Madagascar, around Perinet and Moramanga. Type locality: Perinet, EC Madagascar (elevation 950 m).	
	Phelsuma lineata dorsivittata		N Madagascar, south to N Anivorane. Type locality: "Joffreville, ca. 25 km südlich von Diego Suarez, Nord-Madagaskar".	Mertens, 1964
	Phelsuma lineata elanthana		Antananarivo / Zentral-Madagaskar	Krüger, 1996
	Phelsuma lineata punctulata		Tsaratana-Gebirge / N-Madagaskar	Mertens, 1970

Phelsuma madagascariensis	Phelsuma madagascariensis madagascariensis	Madagaskar-Taggecko	East coast between Fénérive and Mananjari-Kianjavato.	Gray, 1831
	Phelsuma madagascariensis (madagascariensis) boehmei	Böhmes Taggecko	Perinét (Andasibe), E Madagascar. Type locality: Perinet.	Meier, 1982
	Phelsuma madagascariensis grandis	Großer Madagaskar-Taggecko	Diego Suarez / N-Madagaskar	Gray, 1870
	Phelsuma madagascariensis kochi	Kochs Madagaskar-Taggecko	Maevatanana / NW-Madagaskar	Mertens, 1954
	<i>Phelsuma madagascariensis martensi</i> **)		Coastal E Madagascar. Type locality: "Ambavala bei Fénérive".	
	<i>Phelsuma madagascariensis venusta</i> **)		Madagascar (south to Ambilobé). Type locality: "25 km südlich von Diego Suarez, Nord-Madagaskar".	
Phelsuma malamakibo			SO Madagascar (Reserve Naturelle Integrale d'Andohahela). Type locality: 13.5 km northwest of Eminiminy, nature conservancy Andohahela, SE Madagascar, 24° 35' S, 46° 44' E, 1200 m elevation.	Nussbaum, Raxworthy, Raselimanana & Ramanamajato, 2000
Phelsuma masohoala			Madagascar (Peninsula Masohoala). Type locality: Cap Est, NE Madagascar, 15° 15' S, 50° 29' S.	Raxworthy & Nussbaum, 1994
Phelsuma modesta	Phelsuma modesta modesta		Madagascar (Ambovombe, Betioky, Morombe, Soalala, Toliara). Type locality: Ambovombe.	Mertens, 1970
	Phelsuma modesta isakae	Glattbäuchiger Isaka-Taggecko	Isaka / SE Madagascar.	Meier, 1993
	Phelsuma modesta leiogaster	Glattbäuchiger Taggecko	Tuléar, Ambovombe, Fort Dauphin, Betioky. Type locality: Tuléar.	Mertens, 1973
Phelsuma mutabilis			W Madagascar (around Tuléar). Type locality: Fiérin and Ménabé (= Menaba); restricted to Ménabé, W Madagascar.	Grandiedier, 1869
Phelsuma nigristriata		Schwarzstreifen-Taggecko	Comoro Islands (Mayotte). Type locality: Comoro Islands.	Meier, 1984
<i>Phelsuma ocellata</i> *****) (→ <i>Rhoptropella ocellata</i> )	-	-	Republic of South Africa (Cape Province, Little-Namaqualand), SW Namibia. Type locality: Cape Province, South Africa (fide LOVERIDGE 1947).	BOULENGER, 1885

Phelsuma ornata		Ornament-Taggecko	Mascarene Islands: Mauritius (Round Island, Gunner's Quoin, Coin de Mire). Type locality: Sebastopol, Mauritius Island.	Gray, 1825
Phelsuma parkeri		Pemba-Taggecko	Tanzania, Pemba Island, Kinowe. Type locality: Kinowe, Pemba Island, Tanzania.	Loveridge, 1941
Phelsuma pronki		Pronks Taggecko	Andramasina / Zentral-Madagaskar	Seipp, 1994
Phelsuma pasteuri		Pasteurs Taggecko	Insel Mayotte / Komoren	Meier, 1984
Phelsuma pusilla	Phelsuma pusilla pusilla		E coast of Madagascar (Perinet, Ambila Lemaitso, Tamatave, Fénérive), Ste. Marie. Type locality: "Ambila Lemaitso bei Brickaville, Ost-Madagaskar."	Mertens, 1964
	Phelsuma pusilla hallmanni		Perinet. Type locality: Perinet (Andasibe)	Meier, 1989
Phelsuma quadriocellata	Phelsuma quadriocellata quadriocellata	Pfauenaugen-Taggecko Augenfleck-Taggecko Vierflecken-Taggecko	Perinet / O-Madagaskar Madagascar, Nosy Bé. Type locality: "Centrum ... Madagascar"	Peters, 1883
	Phelsuma quadriocellata bimaculata		Around Fandrarazana.	Kaudern, 1922
	Phelsuma quadriocellata lepida		Andapa / NO-Madagaskar NE Madagascar, Nosy Mangabe	Krüger, 1993
	Phelsuma quadriocellata parva	Kleiner Pfauenaugen-Taggecko Kleiner Vierflecken-Taggecko	Terra typica; Tamatave, Madagascar.	Peters, 1883
Phelsuma robertmertensi		Robert Mertens' Taggecko	Comoro Islands (Mayotte). Type locality: "Komoren", Ivambeni, Mayotte, according to the ZFMK catalogue.	Meier, 1980
Phelsuma roesleri			N Madagascar (Antsiranana). Type locality: Ankarana Massif approximately 2 km NE Mahamasina (aerial distance), 12°57'42" S, 49°08'59" E, 128 m elevation, Antsiranana Province, north Madagascar.	GLAW, GEHRING, KÖHLER, FRANZEN & VENCES, 2010

Phelsuma rosagularis		Rosakehliger Mauritius-Taggecko	Macabé-Wald auf Les Mares, ca. 600 m über dem Meeresspiegel / Mauritius. Mascarene Islands: Mauritius (confined to disjunct montane areas in the southwest and the east). Type locality: Les Mares, Mauritius, Mascarenes, 20° 14' S, 57° 28' E.	Vinson & Vinson, 1969
Phelsuma seippi		Seipps Taggecko	N Madagascar, Nosy Bé Type locality: Nosy Bé.	Meier, 1987
Phelsuma serraticauda		Sägeschwanz-Taggecko	E Madagascar Type locality: Ivoloina, 12 km nördlich von Tamatave, E Madagascar.	Mertens, 1963
Phelsuma standingi		Standing's Querstreifen- oder Dornwald-Taggecko	Wald am Fluß Onilahy bei Maroamalona, Andranolaho und Tongobory, SW-Madagaskar.	Metheun & Hewitt, 1913
Phelsuma sundbergi	Phelsuma sundbergi sundbergi	Großer Seychellen-Taggecko	Seychellen-Inseln Chauve Souris, Curieuse, Denis, Marie Louise, Platte, Poivre und Praslin. Type locality: Praslin Island, Seychelles.	Rendahl, 1939
	Phelsuma sundbergi ladiguensis	La-Digue-Taggecko	Insel La Digue / Seychellen	Böhme & Meier, 1981
	Phelsuma sundbergi longinsulae	Long-Island-Taggecko	Seychellen-Inseln Long Island, Mahé, Menai, Silhouette, Cousiné und North.	Rendahl, 1939
Phelsuma vanheygeni			Madagascar (Ampasindava peninsula). Type locality: "near the village of Kongony, S 13° 39' 45.7", E 48°04'23.7", 50 m elevation, Ampasindava peninsula, Ambanja Fivondronana, Antsiranana Province, Madagascar.	Lerner, 2004



Phelsuma v-nigra	Phelsuma v-nigra v-nigra		Comoro Islands (Anjouan, Grande Comore, Mayotte, Moheli). Terra typica restricta: Moheli Island.	Boettger, 1913
	Phelsuma v-nigra anjouanensis		Anjouan. Type locality: Pomoni, Anjouan, (Comore Is.).	Meier, 1986
	Phelsuma v-nigra comoraegrandensis		Grande Comore. Type locality: Nioumadzaha, Grande Comore, 11° 30' S, 43° 25' E.	Meier, 1986
	<i>Phelsuma v-nigra pasteuri</i> ***) → <i>Phelsuma pasteuri</i>	Pasteurs Taggecko	Insel Mayotte / Komoren	Meier, 1984

**Anmerkungen:**

- \*) vermutlich ausgestorben
- \*\*) nicht mehr anerkannte (Unter-)Art
- \*\*\*) alte Bezeichnung; neue: *Phelsuma pasteuri*
- \*\*\*\*) Wechsel der Gattung

45 Arten, 67 Unterarten

**Quellen:**

Internet: [www.reptile-database.reptarium.cz](http://www.reptile-database.reptarium.cz), [ig-phelsuma.de](http://ig-phelsuma.de), [wikipedia.de](http://wikipedia.de), [zipcodezoo.com](http://zipcodezoo.com)  
 Literatur: Kompaktwissen Taggeckos (O.Drewes)